

🗅 Docket No. YAMAP0794US

PATENT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Patent Number:

6,870,802

Issued:

March 22, 2005

Name of Patentee:

Kimura et al.

Title of Invention:

INFORMATION REPRODUCTION APPARATUS WITH SELECTIVE CLV AND

CAV CONTROL

Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

Certificate MAY 3 1 2005

ATTENTION: Decision and Certificate of Correction **Branch of the Patent Issue Division**

of Correction

REQUEST FOR CERTIFICATE OF CORRECTION OF PATENT FOR PTO MISTAKE (37 C.F.R. § 1.322(a))

- 1. Attached, in duplicate, is Form PTO-1050, with at least one copy being suitable for printing.
- 2. The exact page and line number where the errors are shown correctly in the application file are:

Information Disclosure Statement, Form PTO-1449, filed December 14, 2001,

"4/1989" should read --8/1989 --;

"2/1993" should read --4/1993 --;

"5/1995" should read --9/1995 --; and

"5/1999" should read --11/1999 --.

Form PTO-892 accompanying Paper No. 7, "411306661A" should read -- 11-306661 A--.

3. Please send the Certificate to:

Name:

Mark D. Saralino

Address:

Renner, Otto, Boisselle & Sklar, LLP

1621 Euclid Avenue, 19th Floor

Cleveland, OH 44115

Mark D. Saralino Attorney of Record

Reg. No. 34,243

Renner, Otto, Boisselle & Sklar, LLP 1621 Euclid Avenue, 19th Floor

Cleveland, Ohio 44115

(216) 621-1113

UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

PATENT NO.

6,870,802

DATED

March 22, 2005

INVENTOR(S)

Naohiro KIMURA, Katsuya WATANABE, and Hiromichi ISHIBASHI

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Front Page, Section (56), FOREIGN PATENT DOCUMENTS

line 1, "4/1989" should read --8/1989--;

line 2, "2/1993" should read --4/1993--;

line 4, "5/1995" should read --9/1995--;

line 5, "5/1999" should read --11/1999--; and

line 6, "411306661A" should read --11-306661 A--.

MAILING ADDRESS OF SENDER:

Renner, Otto, Boisselle & Sklar, LLP 1621 Euclid Avenue -- Nineteenth Floor Cleveland, Ohio 44115-2191 Patent No. <u>6,870,802</u>

No. of additional copies at \$0.30 per page.

PTO-1050 PTO/SB/44